20081020 195

GOUNTED IN

TECHNICAL MEMORANDUM NO. LWL-74-08

SNOW/ICE MELTING CANTEEN

by

Norman P. Leibel Environment & Survival Branch

TECHNICAL LIBRARY

BLDG. 305

ABERDEEN PROVING GROUND, MD

STEAP-TL

March 1974

Final Report

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

U. S. ARMY LAND WARFARE LABORATORY

Aberdeen Proving Ground, Maryland 21005

IMI_74-0

DISCLAIMERS

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein. SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
REPORT NUMBER TECHNICAL MEMORANDUM NO. LWL-74-08	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) SNOW/ICE MELTING CANTEEN		5. TYPE OF REPORT & PERIOD COVERED Final Report	
	×	6. PERFORMING ORG. REPORT NUMBER	
Norman P. Leibel Environment & Survival Branch		8. CONTRACT OR GRANT NUMBER(s)	
US Army Land Warfare Laboratory Aberdeen Proving Ground, MD 21		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS LWL Task No. 06-S-71	
1. CONTROLLING OFFICE NAME AND ADDRESS		March 1974 13. NUMBER OF PAGES 12	
14. MONITORING AGENCY NAME & ADDRESS(II differen	t from Controlling Office)	15. SECURITY CLASS. (of this report) Unclassified	
16. DISTRIBUTION STATEMENT (of this Report)		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	

Approved for public release; distribution unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

BLDG. 305

ABERDEEN PROVING GROUND, MD.

STEAP-TL

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

In March 1970, during a visit by a briefing team from USALWL to Alaska, the USARAL Surgeon General requested that LWL develop a canteen for use under Arctic conditions. Canteens presently used do not protect water from freezing and troops often become dehydrated before they can replenish their water supply.

A canteen, designed to be worn between the parka and the woolen OG shirt was developed. The canteen, fabricated from FDA approved silicone rubber,

iii

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

BLOCK 20. ABSTRACT CON'T

incorporates a sip tube and has a large opening at the top to permit the user to stuff snow into the canteen. The body heat and the sloshing of the water in the canteen causes the snow to melt. This provides the user with a continuous supply of water.

Because of the disestablishment of USALWL, completion of this task by June 1974 was not feasible and the task was terminated. Information derived from the task is being transmitted to Natick Laboratories, MA for such action as may be considered appropriate.

TABLE OF CONTENTS

	Page
REPORT DOCUMENTATION PAGE (DD FORM 1473)	iii
INTRODUCTION	3
DESCRIPTION	4
CONCLUSION	5
DISTRIBUTION LIST	6

A D-77773

INTRODUCTION

At the request of US Army Alaska, the US Army Land Warfare Laboratory initiated a task to design and develop a canteen which would provide troops with drinking water in extremely cold temperatures. The problem of dehydration is as critical in a cold environment as in a hot environment. In a cold environment troops do not feel the need for water even though they perspire. The canteen under development is a 2 qt flexible canteen which provides the user with a continuous supply of drinking water. The attached sip tube allows the user to drink while moving. The two-shell concept is lightweight, durable, comfortable to wear and does not interfere with other equipment.

TECHNICAL LIBRARY

BLDG. 305

ABERDEEN PROVING GROUND, MD.

STEAP-TL

DESCRIPTION

The basic principle of the snow/ice melting canteen was derived from the seal gut canteen used by the Eskimo to melt snow. This seal gut or tube was filled with snow and worn around the waist next to the skin of the Eskimo. The body heat would melt the snow and provide the Eskimo with a source of drinking water.

The first design was fabricated from an FDA approved silicone material backed by a two oz/yd nylon twill which had a harness molded into the canteen. The straps criss-crossed around the user's back similar to the straps on bib type overalls. Because the canteen was fabricated from silicone rubber layers, the end product was heavy, bulky and unmanageable. The single shell concept did not protect against rupturing or water leakage in the event the user had to fall to the ground. The rupturing or leakage of the canteen in a cold environment, which would result in the user becoming wet, could be fatal.

The second prototype Arctic canteen was fabricated using a two-shell concept. A lightweight FDA approved polyethylene material was fabricated slightly larger than a nylon outer cover. The inner bag was larger than the outer bag so that the outer cover would take the stress and protect the canteen from rupturing should the individual fall to the ground. Although the two-shell concept proved feasible, the inner bag was much too light in weight and during normal handling was easily torn.

The two-shell concept was pursued in the last prototype developed by USALWL which was fabricated from FDA approved silicone rubber, approximately 9" wide x 12" high x $1\frac{1}{2}$ " thick. The top of the bag had a wide mouth opening which allowed the user to insert fresh snow into the bag. The opening was sealed by use of a slide type plastic locking device and Velcro, a commercial hook and pile type fabric fastener. The canteen included a sip tube connected to the bottom of the bag. The canteen was designed to be carried in a lightweight outer bag made of nylon, which was to be worn on the individual's chest.

USALWL was in the process of having several canteens fabricated for field testing when disestablishment of the laboratory was announced. The canteen described has never been tested.

CONCLUSION

Based on the Eskimo water tube and the prototypes developed, the snow/ice melting canteen concept appears feasible. Since dehydration is a serious problem for personnel operating in cold environments, a device which provides a continuous source of water would be advantageous. The present canteens do not prevent water from freezing and individuals must wait until they stop to make camp before replenishing their supply of water. It is recommended that this type canteen approach be continued to meet the need expressed by an operational organization.

DISTRIBUTION LIST

	6	Copies
Commander US Army Materiel Command ATTN: AMCDL 5001 Eisenhower Avenue	· ·	1
Alexandria, VA 22304	£	
Commander US Army Materiel Command ATTN: AMCRD		3
5001 Eisenhower Avenue Alexandria, VA 22304		
Commander US Army Materiel Command		1
ATTN: AMCRD-P 5001 Eisenhower Avenue Alexandria, VA 22304		
Director of Defense, Research Department of Defense WASH DC 20301	& Engineering	1
Director Defense Advanced Research Pro WASH DC 20301	jects Agency	3
HQDA (DARD-DDC) WASH DC 20310		4
HQDA (DARD-ARZ-C) WASH DC 20310		1
HQDA (DAFD-ZB) WASH DC 20310		1
HQDA (DAMO-PLW) WASH DC 20310		ì
HQDA (DAMO-IAM) WASH DC 20310		1
Commander US Army Training & Doctrine C ATTN: ATCD	ommand	. 1
Fort Monroe, VA 23651	es 6	

Commander US Army Combined Arms Combat Developments Activity (PROV) Fort Leavenworth, KS 66027
Commander US Army Logistics Center Fort Lee, VA 23801
Commander US Army CDC Intelligence & Control Systems Group Fort Belvoir, VA 22060
TRADOC Liaison Office HQS USATECOM Aberdeen Proving Ground, MD 21005
Commander US Army Test and Evaluation Command Aberdeen Proving Ground, MD 21005
Commander US Army John F. Kennedy Center for Military Assistance Fort Bragg, NC 28307
Commander-In-Chief US Army Pacific ATTN: GPOP-FD APO San Francisco 96558
Commander Eighth US Army ATTN: EAGO-P APO San Francisco 96301
Commander Eighth US Army ATTN: EAGO-FD APO San Francisco 96301
Commander-In-Chief US Army Europe ATTN: AEAGC-ND APO New York 09403
Commander US Army Alaska ATTN: ARACD APO Seattle 98749

Commander MASSTER ATTN: Combat Service Support & Special Programs Directorate Fort Hood, TX 76544
Commander US MAC-T & JUSMAG-T ATTN: MACTRD APO San Francisco 96346
Senior Standardization Representative US Army Standardization Group, Australia c/o American Embassy APO San Francisco 96404
Senior Standardization Representative US Army Standardization Group, UK Box 65 FPO New York 09510
Senior Standardization Representative US Army Standardization Group, Canada Canadian Forces Headquarters Ottawa, Canada K1AOK2
Director Air University Library ATTN: AUL3T-64-572 Maxwell Air Force Base, AL 36112
Battelle Memorial Institute Tactical Technical Center Columbus Laboratories 505 King Avenue Columbus, OH 43201
Defense Documentation Center (ASTIA) Cameron Station Alexandria, VA 22314
Commander Aberdeen Proving Ground ATTN: STEAP-TL Aberdeen Proving Ground, MD 21005
Commander US Army Edgewood Arsenal ATTN: SMUEA-TS-L Aberdeen Proving Ground, MD 21010

US Marine Corps Liaison Officer		1
Aberdeen Proving Ground, MD 21005		
		,
Director		1
Night Vision Laboratory		
US Army Electronics Command		
ATTN: AMSEL-NV-D (Mr. Goldberg)		
Fort Belvoir, VA 22060		
Commander		1
US Air Force Special Communications Center (USAFSS)		
ATTII: SUR		
San Antonio, TX 78243		
	•	
Commander		1
US Army Armament Command		
ATTN: AMSAR-ASF		
Rock Island II 61201		